

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1722	709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 13:27
S2	497	resource near3 allocat\$4 near5 (group\$3 or cluster)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 13:29
S3	108	(resource near3 allocat\$4 near5 (group\$3 or cluster)).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 13:30
S4	21962	(reallocat\$4 or re-allocat\$4 or access\$4) near4 resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 13:31
S5	195	(resource near3 allocat\$4 near5 (group\$3 or cluster)) and (((reallocat\$4 or re-allocat\$4 or access\$4) near4 resource))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 13:31
S6	136405	member with (group or resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 13:32
S7	51	((resource near3 allocat\$4 near5 (group\$3 or cluster)) and ((reallocat\$4 or re-allocat\$4 or access\$4) near4 resource)) and (member with (group or resource))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 13:32
S8	5	((resource near3 allocat\$4 near5 (group\$3 or cluster)).ti,ab.) and (((resource near3 allocat\$4 near5 (group\$3 or cluster)) and ((reallocat\$4 or re-allocat\$4 or access\$4) near4 resource)) and (member with (group or resource)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 13:32
S9	75	((resource near3 allocat\$4 near5 (group\$3 or cluster)).ti,ab.) and (@ad<"20000202" or @prad<"20000202")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 17:14

S10	111	((resource near3 allocat\$4 near5 (group\$3 or cluster)) and ((reallocat\$4 or re-allocat\$4 or access\$4) near4 resource)) and (@ad<"20000202" or @prad<"20000202"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 13:33
S11	16	((((resource near3 allocat\$4 near5 (group\$3 or cluster)).ti,ab.) and (@ad<"20000202" or @prad<"20000202")) and (((resource near3 allocat\$4 near5 (group\$3 or cluster)) and ((reallocat\$4 or re-allocat\$4 or access\$4) near4 resource)) and (@ad<"20000202" or @prad<"20000202"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 13:33
S12	59	((((resource near3 allocat\$4 near5 (group\$3 or cluster)).ti,ab.) and (@ad<"20000202" or @prad<"20000202")) not (((resource near3 allocat\$4 near5 (group\$3 or cluster)).ti,ab.) and (@ad<"20000202" or @prad<"20000202")) and (((resource near3 allocat\$4 near5 (group\$3 or cluster)) and ((reallocat\$4 or re-allocat\$4 or access\$4) near4 resource)) and (@ad<"20000202" or @prad<"20000202"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 14:54
S13	95	((((resource near3 allocat\$4 near5 (group\$3 or cluster)) and ((reallocat\$4 or re-allocat\$4 or access\$4) near4 resource)) and (@ad<"20000202" or @prad<"20000202")) not (((resource near3 allocat\$4 near5 (group\$3 or cluster)).ti,ab.) and (@ad<"20000202" or @prad<"20000202")) and (((resource near3 allocat\$4 near5 (group\$3 or cluster)) and ((reallocat\$4 or re-allocat\$4 or access\$4) near4 resource)) and (@ad<"20000202" or @prad<"20000202"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 17:12
S14	3698	group\$3 near3 resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 17:12

S15	17349	resource near3 allocat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 17:12
S16	1159	(group\$3 near3 resource) and (resource near3 allocat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 17:12
S17	5107	((group\$3 near3 resource) or (resource near3 allocat\$4)).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 17:12
S18	356	"5" and (group\$3 near3 resource) same (resource near3 allocat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 17:20
S19	3774	("5" and (group\$3 near3 resource) same (resource near3 allocat\$4)) and "709"/\$.ccls. or "718"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 17:13
S20	92	("5" and (group\$3 near3 resource) same (resource near3 allocat\$4)) and ("709"/\$.ccls. or "718"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 17:21
S21	51	((("5" and (group\$3 near3 resource) same (resource near3 allocat\$4)) and ("709"/\$.ccls. or "718"/\$.ccls.)) and (@ad<"20000202" or @prad<"20000202"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 17:21
S22	209	((((group\$3 near3 resource) or (resource near3 allocat\$4)).ti,ab.) and (group\$3 near3 resource) same (resource near3 allocat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 17:20
S23	48	(((((group\$3 near3 resource) or (resource near3 allocat\$4)).ti,ab.) and (group\$3 near3 resource) same (resource near3 allocat\$4)) and ("709"/\$.ccls. or "718"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 17:21

S24	27	(((((group\$3 near3 resource) or (resource near3 allocat\$4)).ti,ab.) and (group\$3 near3 resource) same (resource near3 allocat\$4)) and ("709"/\$.ccls. or "718"/\$.ccls.)) and (@ad<"20000202" or @prad<"20000202"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/25 17:21
S25	6793	(group or farm or cluster) near3 server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:19
S26	363	((group or farm or cluster) near3 server) with (define or defined or defining)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:19
S27	227	((((group or farm or cluster) near3 server) with (define or defined or defining)) and (request or requesting or requested or access or accessing or accessed) near5 (server) same (group or farm or cluster))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:20
S28	130	((((group or farm or cluster) near3 server) with (define or defined or defining)) and (request or requesting or requested or access or accessing or accessed) near5 (server) near5 (group or farm or cluster))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:21
S29	127	(((((group or farm or cluster) near3 server) with (define or defined or defining)) and (request or requesting or requested or access or accessing or accessed) near5 (server) near5 (group or farm or cluster)) and (server or member or resource or group or farm or cluster) near5 (available or used or use or using))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:22
S30	53	(((((group or farm or cluster) near3 server) with (define or defined or defining)) and (request or requesting or requested or access or accessing or accessed) near5 (server) near5 (group or farm or cluster)) and (server or member or resource or group or farm or cluster) near5 (available or used or use or using)) and (permit\$4 or permission or deny or denied or denial or denying) near5 (access or request))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:23

S31	0	(((((group or farm or cluster) near3 server) with (define or defined or defining)) and (request or requesting or requested or access or accessing or accessed) near5 (server) near5 (group or farm or cluster)) and (server or member or resource or group or farm or cluster) near5 (available or used or use or using)) and (permit\$4 or permission or deny or denied or denial or denying) near5 (access or request)) and (@ad<"02022000" or @prad<"02022000"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:24
S32	0	(((((group or farm or cluster) near3 server) with (define or defined or defining)) and (request or requesting or requested or access or accessing or accessed) near5 (server) near5 (group or farm or cluster)) and (server or member or resource or group or farm or cluster) near5 (available or used or use or using)) and (@ad<"02022000" or @prad<"02022000"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:23
S33	0	((((group or farm or cluster) near3 server) with (define or defined or defining)) and (@ad<"02022000" or @prad<"02022000"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:24
S34	10	(((((group or farm or cluster) near3 server) with (define or defined or defining)) and (request or requesting or requested or access or accessing or accessed) near5 (server) near5 (group or farm or cluster)) and (server or member or resource or group or farm or cluster) near5 (available or used or use or using)) and (permit\$4 or permission or deny or denied or denial or denying) near5 (access or request)) and (@ad<"20000202" or @prad<"20000202"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:42
S35	22200	((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:38
S36	6315	((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:39

S37	2375	((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and (assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 18:14
S38	764	(((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and (assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)) and ("709"/\$.ccls. or "718"/\$.ccls.))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:45
S39	436	(((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and (assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)) and ("709"/\$.ccls. or "718"/\$.ccls.)) and (@ad<"20000202" or @prad<"20000202"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:45
S40	1763	(((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and (assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)) and (modify or modified or modifying or modification or write or writing or alter\$5 or chang\$3) near5 (file or resource or object))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 18:06
S41	1156	(((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and (assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)) and (modify or modified or modifying or modification or write or writing or alter\$5 or chang\$3) near5 (file or resource or object)) and client	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:45
S42	448	((((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and (assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)) and (modify or modified or modifying or modification or write or writing or alter\$5 or chang\$3) near5 (file or resource or object)) and client) and ("709"/\$.ccls. or "718"/\$.ccls.))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 18:07

S43	249	(((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and (assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)) and (modify or modified or modifying or modification or write or writing or alter\$5 or chang\$3) near5 (file or resource or object)) and client) and ("709"/\$.ccls. or "718"/\$.ccls.)) and (@ad<"20000202" or @prad<"20000202")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 18:08
S44	232	(((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and (assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)) and (modify or modified or modifying or modification or write or writing or alter\$5 or chang\$3) near5 (file or resource or object)) and client) and ("709"/\$.ccls. or "718"/\$.ccls.)) and (@ad<"20000202" or @prad<"20000202")) not bowman-amuah.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 17:51
S45	419	((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and ((assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)).ti,ab, clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 18:06
S46	335	((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and ((assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)).ti,ab, clm.) and (modify or modified or modifying or modification or write or writing or alter\$5 or chang\$3) near5 (file or resource or object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 18:07
S47	253	((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and ((assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)).ti,ab, clm.) and client	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 18:07

S48	142	(((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and ((assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)).ti,ab, clm.) and (modify or modified or modifying or modification or write or writing or alter\$5 or chang\$3) near5 (file or resource or object)) or (((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and ((assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)).ti,ab, clm.) and client)) and ("709"/\$. ccls. or "718"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 18:07
S49	81	(((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and ((assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)).ti,ab, clm.) and (modify or modified or modifying or modification or write or writing or alter\$5 or chang\$3) near5 (file or resource or object)) or (((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and ((assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)).ti,ab, clm.) and client)) and ("709"/\$. ccls. or "718"/\$.ccls.)) and (@ad<"20000202" or @prad<"20000202")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 19:34
S50	81	(((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and (assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)) and ((pool\$3 or group\$3 or cluster\$3) near4 (resource or file or object)). ti,ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 18:15

S51	46	((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and (assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)) and ((pool\$3 or group\$3 or cluster\$3) near4 (resource or file or object)).ti,ab.) and (@ad<"20000202" or @prad<"20000202"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 18:15
S52	41	((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and (assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)) and ((pool\$3 or group\$3 or cluster\$3) near4 (resource or file or object)).ti,ab.) and (@ad<"20000202" or @prad<"20000202")) not (((((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and ((assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)).ti,ab, clm.) and (modify or modified or modifying or modification or write or writing or alter\$5 or chang\$3) near5 (file or resource or object)) or (((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and ((assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)).ti,ab, clm.) and client)) and ("709"/\$.ccls. or "718"/\$.ccls.)) and (@ad<"20000202" or @prad<"20000202"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 19:37

S53	5	((((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and (assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)) and ((pool\$3 or group\$3 or cluster\$3) near4 (resource or file or object)).ti,ab.) and (@ad<"20000202" or @prad<"20000202")) and (((((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and ((assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)).ti,ab, clm.) and (modify or modified or modifying or modification or write or writing or alter\$5 or chang\$3) near5 (file or resource or object)) or (((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and ((assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)).ti,ab, clm.) and client)) and ("709"/\$.ccls. or "718"/\$.ccls.)) and (@ad<"20000202" or @prad<"20000202"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 18:16
S54	0	"20020013847".URPN.	USPAT	OR	ON	2004/04/02 18:22
S55	20	("5165018" "5193152" "5291488" "5295139" "5430727" "5459713" "5491822" "5509123" "5548585" "5561769" "5574860" "5594780" "5610910" "5652908" "5737333" "5790548" "5842125" "5856974" "5872928" "6041347").PN.	USPAT	OR	ON	2004/04/02 18:35

S56	40	(((((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and (assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)) and ((pool\$3 or group\$3 or cluster\$3) near4 (resource or file or object)).ti,ab.) and (@ad<"20000202" or @prad<"20000202")) not (((((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and ((assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)).ti,ab, clm.) and (modify or modified or modifying or modification or write or writing or alter\$5 or chang\$3) near5 (file or resource or object)) or (((((mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)) and (network or internet)) and ((assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)).ti,ab, clm.) and client)) and ("709"/\$.ccls. or "718"/\$.ccls.)) and (@ad<"20000202" or @prad<"20000202")))) not bowman-amuah.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/02 19:37
S57	2231	(select\$4 or request\$4) with (group or set or cluster) near4 resource	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/14 11:43
S58	344	(client or user) near4 (select\$4 or request\$4) with (group or set or cluster) near4 resource	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/14 11:44
S59	95	((client or user) near4 (select\$4 or request\$4) with (group or set or cluster) near4 resource) same (access\$4 with (member or node or resource or server))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/14 11:44
S60	38	((client or user) near4 (select\$4 or request\$4) with (group or set or cluster) near4 resource) same (access\$4 with (member or node or resource or server))) and (@ad<"20000202" or @prad<"20000202")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/14 14:21
S61	67	"5794035".URPN.	USPAT	OR	ON	2004/05/14 11:57

S62	1	"5794035".pn. and manag\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/14 14:19
S63	682	group near5 resource and (add\$3 or subtract\$3) near3 resource	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/14 14:20
S64	116	group near5 resource and (add\$3 or subtract\$3) near3 resource with group	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/14 14:21
S65	56	(group near5 resource and (add\$3 or subtract\$3) near3 resource with group) and (@ad<"20000202" or @prad<"20000202")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/14 14:22
S66	233	group near5 resource and (add\$3 or subtract\$3) near3 (member or resource) with group	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/14 14:22
S67	83	(group near5 resource and (add\$3 or subtract\$3) near3 (member or resource) with group) and (@ad<"20000202" or @prad<"20000202")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/14 14:23
S68	251	group near5 resource and (add\$3 or subtract\$3 or remov\$3) near3 (member or resource) with group	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/14 14:23
S69	87	(group near5 resource and (add\$3 or subtract\$3 or remov\$3) near3 (member or resource) with group) and (@ad<"20000202" or @prad<"20000202")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/14 14:24
S70	185	group\$3 near5 resource and (add\$3 or subtract\$3 or remov\$3) near3 (member or resource) near5 group	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/14 14:24
S71	70	(group\$3 near5 resource and (add\$3 or subtract\$3 or remov\$3) near3 (member or resource) near5 group) and (@ad<"20000202" or @prad<"20000202")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/14 14:24
S72	134	(709/226,225,229.ccls. and (@pd>"20040514") and (@prad<"20000202" or @ad<"20000202"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 18:38
S73	319	(group\$3 near5 resource).ti.ab. and (network or internet)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 18:29

S74	4	(S73 and (@pd>"20040514") and (@prad<"20000202" or @ad<"20000202"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 18:57
S75	783	(access\$3 near4 (group\$3 or shared or cluster) near5 (storage or resource)).ti,ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 18:59
S76	152	(S73 and (@prad<"20000202" or @ad<"20000202"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 18:58
S77	534	(S75 and (@prad<"20000202" or @ad<"20000202"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 18:58
S78	151	S76 and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 18:59
S79	175	S77 and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 19:00
S80	16	S78 and S79	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 19:32
S81	5	(allocat\$3 near3 resource).ti,ab. and (check\$3 or determin\$3) near6 (in adj use or being adj used or (currently or presently) near3 allocated)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 19:37
S82	816	707/8.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/22 11:05
S83	616	S82 and (@ad<"20000202" or @prad<"20000202")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/22 12:20
S84	434	S83 and access near4 (resource or file or memory or storage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/22 11:11
S85	221	S84 and read near5 write	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/22 11:11

S86	151	S83 and (access near4 (resource or file or memory or storage)).ti, ab,clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/22 12:00
S87	93	S86 and read near5 write	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/22 11:11
S88	31	S86 and (group near5 (resource or file))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/22 12:01
S89	35	S86 and (group\$3 near5 (resource or file))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/22 12:06
S90	9	S84 and (request\$3 near3 group\$3 near3 (resource or file))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/22 12:19
S91	85	(request\$3 near3 group\$3 near3 (resource or file)) same access\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/22 12:20
S92	41	S91 and (@ad<"20000202" or @prad<"20000202")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/22 17:36
S93	1	"6816926"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/23 10:00
S94	1	"6108626".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/23 10:01